

Prepared for:

Texativa

3910 Ambrose Ct.
Bryan, TX 77808

D8 25mg Mango

Batch ID or Lot Number: 20242324KNL2508-0801	Test: Potency	Reported: 01Feb2024	USDA License: N/A
Matrix: Unit	Test ID: T000269118	Started: 30Jan2024	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 29Jan2024	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.314	1.035	ND	ND	# of Servings = 1, Sample Weight=4.1g
Cannabichromenic Acid (CBCA)	0.287	0.947	ND	ND	
Cannabidiol (CBD)	0.942	3.087	ND	ND	
Cannabidiolic Acid (CBDA)	0.966	3.166	ND	ND	
Cannabidivarin (CBDV)	0.223	0.730	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.403	1.321	ND	ND	
Cannabigerol (CBG)	0.178	0.588	ND	ND	
Cannabigerolic Acid (CBGA)	0.745	2.457	ND	ND	
Cannabinol (CBN)	0.232	0.767	ND	ND	
Cannabinolic Acid (CBNA)	0.508	1.676	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.887	2.927	24.770	6.00	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.806	2.658	<LOQ	<LOQ	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.714	2.355	ND	ND	
Tetrahydrocannabivarin (THCV)	0.162	0.535	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.630	2.077	ND	ND	
Total Cannabinoids			24.770	6.00	
Total Potential THC			0.000	0.00	
Total Potential CBD			ND	ND	

Final Approval



Karen Winternheimer
01Feb2024
10:44:00 AM MST

PREPARED BY / DATE



Sam Smith
01Feb2024
10:47:00 AM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/0ed79765-d5a3-4136-ad94-47f52c1429c8>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02

0ed79765d5a34136ad9447f52c1429c8.1